

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE May 18, 1998	3. REPORT TYPE AND DATES COVERED Final: July 1994 - February 1998	
4. TITLE AND SUBTITLE Synthesis and Properties of Model Graft and Flexible/Semi-Rigid Block Copolymers			5. FUNDING NUMBERS DAAH04-94-G-0245	
6. AUTHOR(S) Jimmy W. Mays				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry University of Alabama at Birmingham Birmingham, AL 35294			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER ARO 33198.3-CH-DPS	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)			19981223 134	
<p>We have developed synthetic schemes which allow the synthesis of graft copolymers with precisely controlled architectures and narrow molecular weight distributions. The study of the properties of these materials, through collaborations with Professor Samuel Gido (Univ. Of Massachusetts) and others, has led to an enhanced understanding of the effect of branching on block copolymer morphology. Flexible/semi-rigid block copolymers have also been synthesized and studied in order to explore effects of chain stiffness on block copolymers. The results from these studies are summarized herein; details are given in the fifteen refereed publications that have been produced during this project.</p>				
14. SUBJECT TERMS block copolymer, graft copolymer, morphology, anionic polymerization, elastomers			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

List of All Participating Scientific Personnel Showing Any Advanced Degrees Earned by Them While Employed on the Project

J. W. Mays, Professor UAB

Jian Zhou; completed his Ph.D. at UAB

Darrin Pochan; completed his Ph.D. at U. Mass.

Chin Lee; completed his Ph.D. at U. Mass.

Marinos Pitsikalis, Postdoctoral Fellow UAB

Stergios Pispas; Postdoctoral Fellow UAB

Hermis Iatrou; Postdoctoral Fellow UAB

Kunlun Hong; UAB graduate student

David Uhrig; UAB graduate student

Daniel Cook; UAB graduate student

S. P. Gido, Assoc. Prof., U. Mass.

N. Hadjichristidis, Prof., Univ. Athens (Greece)

Statement of the Problem Studied

While linear flexible/flexible diblock and triblock copolymers have been studied for many years, relatively few investigations have probed the effects of branching and chain stiffness on the properties of these materials. This has been largely due to the fact that well-defined, well-characterized materials of this type had been unavailable prior to the present work. The goal of this work was to synthesize graft and flexible/semi-rigid block copolymers having precisely controlled structures, to thoroughly characterize these materials, and to study their morphological properties in collaboration with the group of Professor Samuel Gido (University of Massachusetts).

Summary of the Most Important Results

- 1) Through the use of high vacuum anionic polymerization and controlled chlorosilane linking chemistry, we have developed methods which allow precise control over branch number and branch placement in graft copolymers. This chemistry (which takes advantage of stable anions, reactions with chlorosilanes which are free of side reactions, and steric effects during linking) is a new mechanism for graft copolymers formation which is superior to other techniques in terms of architectural control. These synthetic methods allow for rigorous characterization of the architecture, compositions, and molecular weights of these materials. With this chemistry we have synthesized:
 - "simple grafts" which have a single centrally located branch point
 - "asymmetric simple grafts" which have a single branch point placed off-center at a predetermined position.
 - " π copolymers" which have two branch points that are equally spaced along the backbone.
 - "H copolymers" which have a branch point at each end of the backbone and the "grafts" are attached at their midpoints.
 - "centipedes" which have multiple, regularly spaced branch points with two "grafts" attached at each branch point.
 - "combs" which have multiple, regularly spaced branch points with one "graft" attached at each branch point.

All of these materials, based on polystyrene and polyisoprene, can be produced with virtually any desired composition and molecular weight, as well as with very narrow molecular weight distributions.

- 2) The morphological characteristics of the graft copolymers described above have been investigated in collaboration with the group of Professor Sam Gido (Univ. Of Massachusetts) and others. For the "simple grafts", a direct comparison with theoretical predictions by Dr. Scott Milner (Exxon) on the effect of branching on block copolymer morphology has been conducted. The morphologies of six of the samples correspond to classical phases (spheres, cylinders, lamellae) and are in agreement with predictions of Milner. This is an important finding because this

means that by introducing branching in block copolymers, one can decouple the morphology from a strict dependence on copolymer composition. Furthermore, we have found that the degree of long range order in microphase separated block copolymers is strongly influenced by branching. This has important implications for the production of copolymer-based membranes.

- 3) For the 7th simple graft copolymer, which has a composition near a "bicontinuous window" predicted by Milner, a new morphology was discovered. This morphology, which was featured as the cover art for the journal *Macromolecules* during all of 1997, is a randomly-oriented wormlike (ROW) morphology, which had never before been observed in neat block copolymer systems. The equilibrium nature of this micellar ROW morphology was confirmed by selective solvent casting/annealing experiments.
- 4) We have synthesized and characterized two series of conformationally asymmetric diblock copolymers: polyisoprene/poly(tert-butylmethacrylate) (PI/PtBMA) and poly(styrene)/poly(cyclohexadiene) (PS/PCHD). PI/PtBMA exhibits only a modest degree of conformational asymmetry, yet a shifting of the phase diagram, similar to that observed for the grafts, was noted. Furthermore, these systems showed that chain stiffness, as well as branching, could be used to manipulate long range order in block copolymers. With the PS/PCHD materials, the conformational asymmetry is more pronounced. With these materials we and our collaborators have discovered a very unusual "cylinders-within cylinders" morphology.

List of All Publications Acknowledging Support of this Grant

1. "End-Functionalized Block Copolymers of Styrene and Isoprene. A DSC Study", S. Pispas, N. Hadjichristidis, and J. W. Mays, *Polymer*, 37, 3989-91 (1996).
2. "Micellization of ω -Functionalized Poly(styrene-*b*-isoprene) Copolymers in *n*-Decane", S. Pispas, S. Allorio, N. Hadjichristidis, and J. W. Mays, *Macromolecules*, 29, 2903-08 (1996).
3. "Bulk Morphologies of Microphase Separated A₂B Simple Graft Block Copolymers", D. J. Pochan, S. P. Gido, S. Pispas, J. W. Mays, A. J. Ryan, P. Fairclough, N. Terrill, and I. W. Hamley, *Macromolecules*, 29, 5091-5098 (1996).
4. "Synthesis, Characterization, and Morphology of Model Graft Copolymers with Trifunctional Branch Points", S. Pispas, J. W. Mays, D. Pochan, S. P. Gido, and N. Hadjichristidis, *Macromolecules*, 29, 7022-28 (1996).
5. "Morphological Transition in an I₂S Simple Graft Block Copolymer: From Folded Sheets to Folded Lace to Randomly Oriented Worms at Equilibrium", D. J. Pochan, S. P. Gido, S. Pispas, and J. W. Mays, *Macromolecules*, 29, 5099-5105, (1996).
6. "Morphologies of Microphase Separated Conformationally Asymmetric Diblock

- Copolymers", D. J. Pochan, S. P. Gido, J. Zhou, J. W. Mays, M. Whitmore, and A. J. Ryan, *J. Polym. Sci., Polym. Phys. Ed.*, **35**, 2629-43 (1997).
7. "Non-Linear Block Copolymer Architectures", M. Pitsikalis, S. Pispas, J. W. Mays, and N. Hadjichristidis, invited review for *Adv. Polym. Sci.*, **135**, 1-137 (1998).
 8. "Micellization of Model Graft Copolymers of the H and π Type in Dilute Solution", S. Pispas, N. Hadjichristidis, and J. W. Mays, *Macromolecules*, **29**, 7378-7385 (1996).
 9. "Self-Diffusivity in Block Copolymer Solutions: 2. A_2B Simple Grafts", S. H. Anastasiadis, K. Chrissopoulou, G. Fytas, G. Fleisher, S. Pispas, M. Pitsikalis, J. W. Mays, and N. Hadjichristidis, *Macromolecules*, **30**, 2445-2453, (1997).
 10. "Asymmetric Single Graft Block Copolymers: Effect of Molecular Architecture on Morphology", C. Lee, S. P. Gido, M. Pitsikalis, J. W. Mays, N. Beck Tan, S. Trevino, and N. Hadjichristidis, *Macromolecules*, **30**, 3732-3738 (1997).
 11. " $H(S_2IS_2)$ Block Copolymers: Effect of Molecular Architecture on Morphology", C. Lee, S. P. Gido, Y. Poulos, N. Hadjichristidis, N. Beck Tan, S. F. Trevino, and J. W. Mays, *J. Chem. Phys.*, **107**, 6460-69 (1997).
 12. "Micellization of Model Graft Copolymers in Dilute Solution", M. Pitsikalis, J. Woodward, J. W. Mays, and N. Hadjichristidis, *Macromolecules*, **30**, 5384-5389, (1997).
 13. " π -Shaped Double Graft Copolymers: Effect of Molecular Architecture on Morphology", C. Lee, S. P. Gido, Y. Poulos, N. Hadjichristidis, N. B. Tan, S. F. Trevino, and J. W. Mays, *Polymer*, in press.
 14. "Synthesis and Characterization of Regular Multigraft PS Homopolymers (Homocentipedes) and Pi/PS Copolymers (Co-Centipedes) with Double Polystyrene Branches. Effect of *sec*-BuOLi on the Polymerization of Isoprene with (1,3-phenylene)-bis-(3-methyl-1-phenylpentylidene) Dilithium Initiator", H. Iatrou, J.W.Mays, and N. Hadjichristidis, *Macromolecules*, submitted (1998).
 15. "Linking Reaction of Living Polymers with Bromomethylbenzene Derivatives. Synthesis and Characterization of Star Homopolymers and Graft Copolymers with Polyelectrolyte Branches", M. Pitsikalis, S. Sioula, S. Pispas, N. Hadjichristidis, D. C. Cook, J. Li, and J.W. Mays, *Designed Monomers and Polymers*, submitted (1998).

List of All Participating Scientific Personnel Showing Any Advanced Degrees Earned by Them While Employed on the Project

J. W. Mays, Professor UAB

Jian Zhou; completed his Ph.D. at UAB

Darrin Pochan; completed his Ph.D. at U. Mass.

Chin Lee; completed his Ph.D. at U. Mass.

Marinos Pitsikalis, Postdoctoral Fellow UAB

Stergios Pispas; Postdoctoral Fellow UAB

Hermis Iatrou; Postdoctoral Fellow UAB

Kunlun Hong; UAB graduate student

David Uhrig; UAB graduate student

Daniel Cook; UAB graduate student

S. P. Gido, Assoc. Prof., U. Mass.

N. Hadjichristidis, Prof., Univ. Athens (Greece)